

Rolling Camera Car

WWW.ROLLINGCAMERACAR.COM



CAMERA CAR:

Dodge Ram 3500 HD Crew Cab 4x4 Diesel engine with 350hp Cummins engine and a 850nm, equipped with dually wheels and air suspension Firestone system.



SIZE CAMERA CAR:

Total length 7.30m

Overall width 2.50m

Main platform 3.30m x 2.50m expandable quickly and safely up to 3.80m x 2.50m


Upper platform 1.30m x 2.50m

Front platform 2.00m x 1.00m

Rear platform is removable up to 0.95m x 2.50m

Process Trailer

The only system Ultra Low Process Trailer of Spain and one of the best in Europe. It has adjustable suspension depending on the specific conditions which allows to lift the vehicle from 8cm up to 25cm from ground level





Size:

- Work platform (car area) 6.80m x 2.50m
- upper platform 3.45m x 2.50m
- Available side platforms 500mm x 1500mm y de 800mm x 1500mm
- Total length of the Joint/set 15 m
- Adjustable height depending on the working specific conditions

A-Frame

Allows drag any vehicle with all four wheels on the ground, is height adjustable and can be adapted to any tourism or van.



Tow Dolly

It allows you to take virtually any vehicle on the ground with the wheels uploaded to the platform, vehicles such as motorcycles or bicycles. Prepared with a handrail 48 mm that allows hook to any rig.



It is prepared to assemble all type of crane



All main and secondary platforms are made of Finnish wood and are provided with a non-slip surface for technician safety



Integrated generator and soundproof 20KW



Hidden connections spread throughout the work area that allow clean cable platform.



Individual seats , swivel seats too, that have safety belt that can be placed in any position and side tables



Rear vision camera high definition for safety in the movements.




Side Tow allows us to tow a vehicle laterally safely and fast assembly



Provided with two beams that allows quick, safe and easy positioning of the camera in any position.



Side Plataforms prepared to mount quickly and safely:
Size 500mm 1500mm x 800mm x 1500mm x 800mm.



Removable rear platform depending on the needs and prepared with three trailer hitches.



48 mm handrail that allows to snag to any rig.



Intercom wireless



Small HD monitors integrated in the cabin



Isolation Vibration



Contact

If you wish to make a query you can do so using the contact form or by writing to info@rollingcameracar.com

If you prefer you can contact us on the phone

0034 605874729



www.rollingcameracar.com



*Rolling
Camera Car*

WWW.ROLLINGCAMERACAR.COM